

UV Transilluminator



■ Superior Performance

Ultra-high uniformity of UV intensity distribution
Large illuminant filter size (21 cm X 26cm)
Single / Dual UV wavelengths
Adjustable UV intensities

■ Safety

Anti-UV transparent cover
Multiple protective circuit designs
(overload, short, over-heating, auto switch-off)
Certification : CE, cTUVus


■ Warranty

Longer product & tube life cycle

Introduction

Make the most of your quantitative imaging with Avegene UV transilluminator. Our exclusively designed transilluminator provides the UV illumination with superior uniformity, which is significant for accurate quantitative analysis.

The Avegene transilluminator is combined compactly and economically for laboratories with budget in mind.



Works with both Ethidium bromide and Syber-Green™

■ Specifications

Cat. No	AG-T2624BS	AG-TT2621AS	AG-T2621D
Product Name	2624BS	2621AS	2621D
Intensity selector	High / Low intensity	High / Low intensity	High / Low intensity
Wavelength	305 nm	365 nm	305 / 365 nm
Filter size	21 x 26 cm	21 x 26 cm	21 x 26 cm
Tubes	8W x 6	8W x 6	8W x 11
Dimensions	38 cm(D) x 13 cm(H) x 24 cm(W)		
Life cycle	over 40,000 times		
Electrical	Universal (100V~240V, 50~60Hz)		
Certified	cTUVus, CE, FCC		